





Over hundred of authentic natural products such as 24 catechins, 4 Theaflavins, 16 isoflavones, 4 Ginkgolides, 3 Curcumins, 10 Shikonins/Alkannins, 5 Glycyrrhizin analogs, 6 Gomisins, etc. are available and most of them are the world's first commercial products.


### Green tea



(+)-Epicatechin




(-)-Catechin  $R_1=R_2=H$   
 (-)-Gallocatechin  $R_1=OH, R_2=H$   
 (-)-Catechin gallate  $R_1=H, R_2=Galloyl$   
 (-)-Gallocatechin gallate  $R_1=OH, R_2=Galloyl$



(-)-Epicatechin  $R_1=R_2=OH$

(-)-Epicatechin-3'-O-methylether  $R_1=OCH_3, R_2=OH$


(-)-Epicatechin-4'-O-methylether  $R_1=OH, R_2=OCH_3$



(-)-Epigallocatechin  $R_1=R_2=OH$

(-)-Epigallocatechin-3'-O-methylether  $R_1=OCH_3, R_2=OH$

(-)-Epigallocatechin-4'-O-methylether  $R_1=OH, R_2=OCH_3$




(-)-Epicatechin gallate  $R_1=R_2=R_3=R_4=OH$

(-)-Epicatechin-3'-O-methylether gallate  $R_1=OCH_3, R_2=R_3=R_4=OH$

(-)-Epicatechin-4'-O-methylether gallate  $R_2=OCH_3, R_1=R_3=R_4=OH$

(-)-Epicatechin 3-(3"-O-methyl) gallate  $R_3=OCH_3, R_1=R_2=R_4=OH$

(-)-Epicatechin 3-(4"-O-methyl) gallate  $R_4=OCH_3, R_1=R_2=R_3=OH$




(-)-Epigallocatechin gallate  $R_1=R_2=R_3=R_4=OH$

(-)-Epigallocatechin-3'-O-methylether gallate  $R_1=OCH_3, R_2=R_3=R_4=OH$

(-)-Epigallocatechin-4'-O-methylether gallate  $R_2=OCH_3, R_1=R_3=R_4=OH$

(-)-Epigallocatechin-3'-(3"-O-methyl) gallate  $R_3=OCH_3, R_1=R_2=R_4=OH$

(-)-Epigallocatechin-3'-(4"-O-methyl) gallate  $R_4=OCH_3, R_1=R_2=R_3=OH$



Strictinin

### Tea Catechins


Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
(-)-Epicatechin (-)-EC	490-46-0	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub>	290.27	98%(HPLC)	GR	R	02547-84 02547-26	10 mg 100 mg
(-)-Epigallocatechin (-)-EGC	970-74-1	C <sub>15</sub> H <sub>14</sub> O <sub>7</sub>	306.27	98%(HPLC)	GR	R	02564-54 02564-96	10 mg 100 mg
(-)-Epicatechin gallate (-)-ECg	1257-08-5	C <sub>22</sub> H <sub>18</sub> O <sub>10</sub>	442.37	98%(HPLC)	GR	R	02565-44 02565-86	10 mg 100 mg
(-)-Epigallocatechin gallate (-)-EGCg	989-51-5	C <sub>22</sub> H <sub>18</sub> O <sub>11</sub>	458.37	98%(HPLC)	GR	R	02566-34 02566-76	10 mg 100 mg
(+)-Catechin Hydrate (+)-C	88191-48-4	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub> H <sub>2</sub> O	290.27	98%(HPLC)	GR	R	02567-24	10 mg
(-)-Catechin (-)-C	18829-70-4	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub>	290.27	98%(HPLC)	GR	R	02568-14	10 mg
(-)-Gallocatechin (-)-GC	3371-27-5	C <sub>15</sub> H <sub>14</sub> O <sub>7</sub>	306.27	98%(HPLC)	GR	R	02569-04	10 mg
(-)-Catechin gallate (-)-Cg	130405-40-2	C <sub>22</sub> H <sub>18</sub> O <sub>10</sub>	442.37	98%(HPLC)	GR	R	02570-64	10 mg
(-)-Gallocatechin gallate (-)-GCg	4233-96-9	C <sub>22</sub> H <sub>18</sub> O <sub>11</sub>	458.37	98%(HPLC)	GR	R	02572-44	10 mg
(+)-Epicatechin (+)-EC	35323-91-2	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub>	290.27	98%(HPLC)	GR	R	02573-34	10 mg
Catechin Mixture {(-)-Epicatechin, (-)-Epigallocatechin, (-)-Epicatechin gallate, (-)-Epigallocatechin gallate}				Total 85% (HPLC)		R	05158-81	1 g
Strictinin	517-46-4	C <sub>27</sub> H <sub>22</sub> O <sub>18</sub>	634.45	98%(HPLC)	GR	R	08057-24	5 mg

## Green Tea (Continued)


### Tea Methylated Catechins

Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
(-)-Epicatechin-3'-O-methylether [(-)-EC-3'-O-Me]		C <sub>16</sub> H <sub>16</sub> O <sub>6</sub>	304.29	90%(HPLC)	EP	F	02574-11	1 mg
(-)-Epicatechin-4'-O-methylether [(-)-EC-4'-O-Me]		C <sub>16</sub> H <sub>16</sub> O <sub>6</sub>	304.29	90%(HPLC)	EP	F	02575-01	1 mg
(-)-Epigallocatechin-3'-O-methylether [(-)-EGC-3'-O-Me]		C <sub>16</sub> H <sub>16</sub> O <sub>7</sub>	320.29	90%(HPLC)	EP	F	02576-91	1 mg
(-)-Epigallocatechin-4'-O-methylether [(-)-EGC-4'-O-Me]	17291-05-3	C <sub>16</sub> H <sub>16</sub> O <sub>7</sub>	320.29	90%(HPLC)	EP	F	02577-81	1 mg
(-)-Epicatechin-3'-O-methylether gallate[(-)-ECg-3'-O-Me]		C <sub>23</sub> H <sub>20</sub> O <sub>10</sub>	456.40	90%(HPLC)	EP	F	02578-71	1 mg
(-)-Epicatechin-4'-O-methylether gallate[(-)-ECg-4'-O-Me]		C <sub>23</sub> H <sub>20</sub> O <sub>10</sub>	456.40	90%(HPLC)	EP	F	02579-61	1 mg
(-)-Epicatechin-3-(3''-O-methyl) gallate[(-)-ECg-3''-O-Me]	83104-86-3	C <sub>23</sub> H <sub>20</sub> O <sub>10</sub>	456.40	90%(HPLC)	EP	F	02580-21	1 mg
(-)-Epicatechin-3-(4''-O-methyl) gallate[(-)-ECg-4''-O-Me]	108907-44-4	C <sub>23</sub> H <sub>20</sub> O <sub>10</sub>	456.40	90%(HPLC)	EP	F	02581-11	1 mg
(-)-Epigallocatechin-3'-O-methylether Gallate[(-)-EGCg-3'-O-Me]	298700-56-8	C <sub>23</sub> H <sub>20</sub> O <sub>11</sub>	472.40	90%(HPLC)	EP	F	02582-01	1 mg
(-)-Epigallocatechin-4'-O-methylether Gallate[(-)-EGCg-4'-O-Me]	298700-57-9	C <sub>23</sub> H <sub>20</sub> O <sub>11</sub>	472.40	90%(HPLC)	EP	F	02584-81	1 mg
(-)-Epigallocatechin 3-(3''-O-methyl) gallate[(-)-EGCg-3''-O-Me]	83104-87-4	C <sub>23</sub> H <sub>20</sub> O <sub>11</sub>	472.40	98%(HPLC)	GR	F	05167-61	1 mg
(-)-Epigallocatechin 3-(4''-O-methyl) gallate[(-)-EGCg-4''-O-Me]	224434-07-5	C <sub>23</sub> H <sub>20</sub> O <sub>11</sub>	472.40	98%(HPLC)	GR	F	05168-51	1 mg

## Black tea




Theaflavin R<sub>1</sub>=R<sub>2</sub>=H  
 Theaflavin 3-O-gallate R<sub>1</sub>=Galloyl, R<sub>2</sub>=H  
 Theaflavin 3'-O-gallate R<sub>1</sub>=H, R<sub>2</sub>=Galloyl  
 Theaflavin 3,3'-di-O-gallate R<sub>1</sub>=R<sub>2</sub>=Galloyl




Galloyl

Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Theaflavin	4670-05-7	C <sub>29</sub> H <sub>24</sub> O <sub>12</sub>	564.49	90%(HPLC)	EP	F	02587-51	1 mg
Theaflavin 3-O-gallate	30462-34-1	C <sub>36</sub> H <sub>28</sub> O <sub>16</sub>	716.60	90%(HPLC)	EP	F	02588-41	1 mg
Theaflavin 3'-O-gallate	28543-07-9	C <sub>36</sub> H <sub>28</sub> O <sub>16</sub>	716.60	90%(HPLC)	EP	F	02589-31	1 mg
Theaflavin 3,3'-di-O-gallate	30462-35-2	C <sub>43</sub> H <sub>32</sub> O <sub>20</sub>	868.70	90%(HPLC)	EP	F	02591-81	1 mg


## Soy bean




Daidzein R<sub>1</sub>=R<sub>2</sub>=H  
 Glycitein R<sub>1</sub>=H, R<sub>2</sub>=OCH<sub>3</sub>  
 Genistein R<sub>1</sub>=OH, R<sub>2</sub>=H



Daidzin R<sub>1</sub>=R<sub>2</sub>=H  
 Glycitin R<sub>1</sub>=H, R<sub>2</sub>=OCH<sub>3</sub>  
 Genistin R<sub>1</sub>=OH, R<sub>2</sub>=H



6''-O-Acetyldaidzin R<sub>1</sub>=R<sub>2</sub>=H  
 6''-O-Acetylglycitin R<sub>1</sub>=H, R<sub>2</sub>=OCH<sub>3</sub>  
 6''-O-Acetylgenistin R<sub>1</sub>=OH, R<sub>2</sub>=H




6''-O-Malonyldaidzin R<sub>1</sub>=R<sub>2</sub>=H  
 6''-O-Malonylglycitin R<sub>1</sub>=H, R<sub>2</sub>=OCH<sub>3</sub>  
 6''-O-Malonylgenistin R<sub>1</sub>=OH, R<sub>2</sub>=H

Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Daidzein	486-66-8	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	254.24	98%(HPLC)	GR	R	09388-64 (inquiry)	10 mg 100 mg
Glycitein	40957-83-3	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	284.26	98%(HPLC)	GR	R	09387-74 (inquiry)	10 mg 100 mg
Genistein	446-72-0	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	270.24	98%(HPLC)	GR	R	09390-14 (inquiry)	10 mg 100 mg
Daidzin	552-66-9	C <sub>21</sub> H <sub>20</sub> O <sub>9</sub>	416.38	98%(HPLC)	GR	R	09389-54 (inquiry)	10 mg 100 mg
Glycitin	40246-10-4	C <sub>22</sub> H <sub>22</sub> O <sub>10</sub>	446.40	98%(HPLC)	GR	R	09391-04 (inquiry)	10 mg 100 mg
Genistin	529-59-9	C <sub>21</sub> H <sub>20</sub> O <sub>10</sub>	432.38	98%(HPLC)	GR	R	09386-84 (inquiry)	10 mg 100 mg

## Soy bean (Continued)

Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
6"-O-Acetyldaidzin	71385-83-6	C <sub>23</sub> H <sub>22</sub> O <sub>10</sub>	458.41	90%(HPLC)	EP	F	04580-61	1 mg
6"-O-Acetylgenistin	73566-30-0	C <sub>23</sub> H <sub>22</sub> O <sub>11</sub>	474.41	90%(HPLC)	EP	F	04613-31	1 mg
6"-O-Acetylglycitin	134859-96-4	C <sub>24</sub> H <sub>24</sub> O <sub>11</sub>	488.44	90%(HPLC)	EP	F	04607-21	1 mg
6"-O-Malonyldaidzin	124590-31-4	C <sub>24</sub> H <sub>22</sub> O <sub>12</sub>	502.42	90%(HPLC)	EP	F	04616-01	1 mg
6"-O-Malonylgenistin	51011-05-3	C <sub>24</sub> H <sub>22</sub> O <sub>13</sub>	518.42	90%(HPLC)	EP	F	04625-81	1 mg
6"-O-Malonylglycitin	137705-39-6	C <sub>25</sub> H <sub>24</sub> O <sub>13</sub>	532.45	90%(HPLC)	EP	F	04624-91	1 mg
Isoflavone Aglycon Mixture A (Daidzein ≥ 50%), from Soybean				Total 95% (HPLC)		RT	05159-71	1g
Isoflavone Aglycon Mixture B (Genistein ≥ 50%), from Soybean				Total 95% (HPLC)		RT	05160-31	1g
Isoflavone Glucoside Mixture A (Daidzin ≥ 50%), from Soybean				Total 95% (HPLC)		RT	05161-21	1g
Isoflavone Glucoside Mixture B (Genistein ≥ 50%), from Soybean				Total 95% (HPLC)		RT	05162-11	1g





## Turmeric



Curcumin 1 R<sub>1</sub>=R<sub>2</sub>=OCH<sub>3</sub>  
 Curcumin 2 R<sub>1</sub>=OCH<sub>3</sub>, R<sub>2</sub>=H  
 Curcumin 3 R<sub>1</sub>=R<sub>2</sub>=H


Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Curcumin 1	458-37-7	C <sub>21</sub> H <sub>20</sub> O <sub>6</sub>	368.38	98%(HPLC)	GR	R	02643-14	100 mg
Curcumin 2	297160-27-1	C <sub>20</sub> H <sub>18</sub> O <sub>5</sub>	338.35	98%(HPLC)	GR	R	02644-04	10 mg
Curcumin 3	33171-05-0	C <sub>19</sub> H <sub>16</sub> O <sub>4</sub>	308.33	98%(HPLC)	GR	R	02645-94	10 mg

## Ginkgo biloba




Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
(-)-Bilobalide	33570-04-6	C <sub>15</sub> H <sub>18</sub> O <sub>8</sub>	326.30	98%(HPLC)	GR	R	02642-24 02642-66	10 mg 100 mg
Ginkgolic Acid 13:0	20261-38-5	C <sub>20</sub> H <sub>32</sub> O <sub>3</sub>	320.47	99%(HPLC)	GR	R	04073-24	5 mg
Ginkgolic Acid 15:0	16611-84-0	C <sub>22</sub> H <sub>36</sub> O <sub>3</sub>	348.52	99%(HPLC)	GR	R	04074-14	5 mg
Ginkgolic Acid 15:1	22910-60-7	C <sub>22</sub> H <sub>34</sub> O <sub>3</sub>	346.50	99%(HPLC)	GR	R	04067-14	10 mg
[Ginkgolic Acid, Ginkgolic Acid I]								
Ginkgolic Acid 15:1 + 13:0(4:1)				99%(HPLC)	GR	R	04071-44	10 mg
Ginkgolic Acid 17:1	111047-30-4	C <sub>24</sub> H <sub>38</sub> O <sub>3</sub>	374.56	99%(HPLC)	GR	R	04068-04	10 mg
[Ginkgolic Acid II]								
Ginkgolic Acid 17:1 + 15:0(6:1)				99%(HPLC)	GR	R	04072-34	10 mg
Ginkgolide A	15291-75-5	C <sub>20</sub> H <sub>24</sub> O <sub>9</sub>	408.40	98%(HPLC)	GR	R	02592-84 02592-26	10 mg 100 mg
Ginkgolide B	15291-77-7	C <sub>20</sub> H <sub>24</sub> O <sub>10</sub>	424.40	98%(HPLC)	GR	R	02593-74 02593-16	10 mg 100 mg
Ginkgolide C	15291-76-6	C <sub>20</sub> H <sub>24</sub> O <sub>11</sub>	440.40	98%(HPLC)	GR	R	02594-64 02594-06	10 mg 100 mg

## Lithospermum erythrorhizon




Shikonin	R=H
Acetylshikonin	R=COCH <sub>3</sub>
Isobutyrylshikonin	R=COCH(CH <sub>3</sub> ) <sub>2</sub>
β-Hydroxyisovalerylshikonin	R=COCH <sub>2</sub> C(CH <sub>3</sub> ) <sub>2</sub> OH
Isovalerylshikonin	R=COCH <sub>2</sub> CH(CH <sub>3</sub> ) <sub>2</sub>
α-Methyl- <i>n</i> -butyrylshikonin	R=COCH(CH <sub>3</sub> )CH <sub>2</sub> CH <sub>3</sub>
β,β-Dimethylacrylshikonin	R=COCH=C(CH <sub>3</sub> ) <sub>2</sub>



Alkannin

Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Acetylshikonin	24502-78-1	C <sub>18</sub> H <sub>18</sub> O <sub>6</sub>	330.33	98%(HPLC)	GR	R	04057-44	10 mg
Alkannin	517-88-4	C <sub>16</sub> H <sub>16</sub> O <sub>5</sub>	288.30	99%(HPLC)	GR	R	05164-04	10 mg
β,β-Dimethylacrylshikonin	24502-79-2	C <sub>21</sub> H <sub>22</sub> O <sub>6</sub>	370.40	98%(HPLC)	GR	R	04062-64	10 mg
β-Hydroxyisovalerylshikonin	7415-78-3	C <sub>21</sub> H <sub>24</sub> O <sub>7</sub>	388.41	98%(HPLC)	GR	R	04059-24	10 mg
Isobutyrylshikonin	52438-12-7	C <sub>20</sub> H <sub>22</sub> O <sub>6</sub>	358.39	98%(HPLC)	GR	R	04058-34	10 mg
Isovalerylshikonin	52387-14-1	C <sub>21</sub> H <sub>24</sub> O <sub>6</sub>	372.41	98%(HPLC)	GR	R	04060-71	1 mg
α-Methyl- <i>n</i> -butyrylshikonin	92175-42-3	C <sub>21</sub> H <sub>24</sub> O <sub>6</sub>	372.41	98%(HPLC)	GR	R	04061-61	1 mg
Shikalkin	54952-43-1	C <sub>16</sub> H <sub>16</sub> O <sub>5</sub>	288.30	98%(HPLC)	GR	R	05375-44	10 mg
Shikonin	517-89-5	C <sub>16</sub> H <sub>16</sub> O <sub>5</sub>	288.30	99%(HPLC)	GR	R	05165-94	10 mg
Shikonin(Shikonin / Alkannin ≙ 6:1)		C <sub>16</sub> H <sub>16</sub> O <sub>5</sub>	288.30	98%(HPLC)	GR	R	04056-54 04056-96 (inquiry)	10 mg 100 mg 1 g


## Royal jelly




(*E*)-10-Hydroxy-2-decenoic acid

Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
( <i>E</i> )-10-Hydroxy-2-decenoic Acid	14113-05-4	C <sub>10</sub> H <sub>18</sub> O <sub>3</sub>	186.25	98%(HPLC)	GR	R	04063-54 04063-96	10 mg 100 mg


## Licorice (Glycyrrhiza)



Glycyrrhizin  
(Glycyrrhizic acid)




Glycyrrhetic acid




Glycyrrhetic acid 3-*O*-glucuronide

Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Glycyrrhizin (Glycyrrhizic Acid)	1405-86-3	C <sub>42</sub> H <sub>62</sub> O <sub>16</sub> · <i>n</i> H <sub>2</sub> O	822.93+	99%(HPLC)		R	(inquiry)	10 mg 100 mg
Glycyrrhizic Acid Monoammonium Salt <i>n</i> -Hydrate	53956-04-0	C <sub>42</sub> H <sub>61</sub> O <sub>16</sub> NH <sub>4</sub> · <i>n</i> H <sub>2</sub> O	839.96+	99%(HPLC)	GR	RT	(inquiry) 04065-76	10 mg 100 mg
Glycyrrhizic Acid Dipotassium Salt	68797-35-3	C <sub>42</sub> H <sub>60</sub> K <sub>2</sub> O <sub>16</sub> · <i>n</i> H <sub>2</sub> O	899.13	99%(HPLC)	GR	RT	04066-24 04066-66	10 mg 100 mg
18β-Glycyrrhetic Acid	471-53-4	C <sub>30</sub> H <sub>46</sub> O <sub>4</sub>	470.69	99%(HPLC)	GR	RT	05088-14 (inquiry)	10 mg 100 mg
Glycyrrhetic Acid 3- <i>O</i> -Glucuronide	34096-83-8	C <sub>36</sub> H <sub>54</sub> O <sub>10</sub>	646.82	99%(HPLC)	GR	RT	05090-64	10 mg


## Schisandra fruit




Deoxyschizandrin




Gomisin A




Gomisin N



Schizandrin




(±)-γ-Schizandrin




Wuweizisu C

Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Deoxyschizandrin	61281-38-7	C <sub>24</sub> H <sub>32</sub> O <sub>6</sub>	416.51	99%(HPLC)	GR	R	05078-44	5 mg
Gomisin A	58546-54-6	C <sub>23</sub> H <sub>28</sub> O <sub>7</sub>	416.46	99%(HPLC)	GR	R	05076-64	10 mg
Gomisin N	69176-52-9	C <sub>23</sub> H <sub>28</sub> O <sub>6</sub>	400.46	99%(HPLC)	GR	R	05075-74	10 mg
Schizandrin	7432-28-2	C <sub>24</sub> H <sub>32</sub> O <sub>7</sub>	432.51	99%(HPLC)	GR	R	05077-54	10 mg
(±)-γ-Schizandrin	61281-37-6	C <sub>23</sub> H <sub>24</sub> O <sub>6</sub>	400.46	99%(HPLC)	GR	R	05079-34	5 mg
Wuweizisu C	61301-33-5	C <sub>22</sub> H <sub>24</sub> O <sub>6</sub>	384.42	99%(HPLC)	GR	R	05080-94	5 mg


## Red Pepper




Capsaicin




Dihydrocapsaicin



Nordihydrocapsaicin




N-Vanillyldecanamide




N-Vanillylnonanamide

Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Capsaicin 99%	404-86-4	C <sub>18</sub> H <sub>27</sub> NO <sub>3</sub>	305.41	99%(HPLC)	GR	R	05081-84	10 mg
Capsaicin 95%	404-86-4	C <sub>18</sub> H <sub>27</sub> NO <sub>3</sub>	305.41	95%(HPLC)		R	(inquiry)	100 mg
Dihydrocapsaicin 99%	19408-84-5	C <sub>18</sub> H <sub>29</sub> NO <sub>3</sub>	307.43	99%(HPLC)	GR	R	(inquiry)	50 mg
Dihydrocapsaicin 95%	19408-84-5	C <sub>18</sub> H <sub>29</sub> NO <sub>3</sub>	307.43	95%(HPLC)	EP	R	(inquiry)	100mg
Nordihydrocapsaicin	28789-35-7	C <sub>17</sub> H <sub>27</sub> NO <sub>3</sub>	293.40	95%(HPLC)	EP	R	05085-31	10 mg
N-Vanillyldecanamide	31078-36-1	C <sub>18</sub> H <sub>29</sub> NO <sub>3</sub>	307.43	95%(HPLC)	EP	R	05087-11	1 mg
N-Vanillylnonanamide	2444-46-4	C <sub>17</sub> H <sub>27</sub> NO <sub>3</sub>	293.40	95%(HPLC)	EP	R	05086-21	1 mg


## Clove




Clove 3




Biflorin




Casuarictin



Eugeniin




Tellimagrandin I



1,3-Di-O-galloyl-4,6-O-(S)-hexahydroxydiphenoyl-beta-D-glucose

Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Clove 3	152041-16-2	C <sub>16</sub> H <sub>18</sub> O <sub>9</sub>	354.31	95%(HPLC)		R	(inquiry)	5 mg
Biflorin	89701-85-9	C <sub>16</sub> H <sub>18</sub> O <sub>9</sub>	354.31	95%(HPLC)		R	(inquiry)	5 mg
Casuarictin	79786-00-8	C <sub>41</sub> H <sub>28</sub> O <sub>26</sub>	936.65	95%(HPLC)	EP	R	08258-94	5 mg
Eugeniin	81571-72-4	C <sub>41</sub> H <sub>30</sub> O <sub>26</sub>	938.66	95%(HPLC)	EP	R	08257-04	5 mg
Tellimagrandin I	118014-28-1	C <sub>34</sub> H <sub>26</sub> O <sub>22</sub>	786.56	95%(HPLC)	EP	R	08259-84	5 mg
1,3-Di-O-galloyl-4,6-O-(S)-hexahydroxydiphenoyl-β-D-glucose		C <sub>34</sub> H <sub>26</sub> O <sub>22</sub>	786.56	90%(HPLC)		R	(inquiry)	1 mg


## Uncaria rhynchophylla



Rhynchophylline

Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Rhynchophylline	76-66-4	C <sub>22</sub> H <sub>28</sub> N <sub>2</sub> O <sub>4</sub>	384.47	99%(HPLC)		R	(inquiry)	10 mg


## Glucosylceramide



from Rice / Maize

Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Glucosylceramide, from Rice (Glucosylceramide mix.)				99%(TLC)		R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Maize (Glucosylceramide mix.)				99%(TLC)		R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Konjac (Glucosylceramide mix.)				99%(TLC)		R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Hen of the Woods (Maitake)(Glucosylceramide mix.)				99%(TLC)		R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Tamogitake (Glucosylceramide mix.)				99%(TLC)		R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Soybean (Glucosylceramide mix.)				99%(TLC)		R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Wheat (Glucosylceramide mix.)				99%(TLC)		R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Sugar beet (Glucosylceramide mix.)				99%(TLC)		R	(inquiry)	10 mg 100 mg

## Sesame lignan



Product name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
(+)-Sesamin	607-80-7	C <sub>20</sub> H <sub>18</sub> O <sub>6</sub>	354.35	99%(HPLC)		F	(inquiry)	10 mg 100 mg
(+)-Sesamolin	526-07-8	C <sub>20</sub> H <sub>18</sub> O <sub>7</sub>	370.35	99%(HPLC)		F	(inquiry)	10 mg 100 mg
(+)-Episesamin	133-03-9	C <sub>20</sub> H <sub>18</sub> O <sub>6</sub>	354.35	99%(HPLC)		F	(inquiry)	10 mg 100 mg
Diasamin	551-30-4	C <sub>20</sub> H <sub>18</sub> O <sub>6</sub>	354.35			F	(inquiry)	2 mg
Sesaminol	74061-79-3	C <sub>20</sub> H <sub>18</sub> O <sub>7</sub>	370.35			F	(inquiry)	10 mg
2-Episesaminol	104319-96-2	C <sub>20</sub> H <sub>18</sub> O <sub>7</sub>	370.35			F	(inquiry)	10 mg
6-Episesaminol	105616-55-5	C <sub>20</sub> H <sub>18</sub> O <sub>7</sub>	370.35			F	(inquiry)	2 mg
Diasaminol	110300-35-1	C <sub>20</sub> H <sub>18</sub> O <sub>7</sub>	370.35			F	(inquiry)	2 mg
Samin	525-07-5	C <sub>13</sub> H <sub>14</sub> O <sub>5</sub>	250.25			F	(inquiry)	10 mg
Sesamol	533-31-3	C <sub>7</sub> H <sub>6</sub> O <sub>3</sub>	138.12			F	(inquiry)	100 mg 1g

Storage RT : Room temperature  
R : Refrigerator  
F : Freezer

*These products are available in bulk order.  
For more information on products and price, please consult your local distributor.  
produced by Nagara Science Co., Ltd.*

For research use only, not intended for diagnostic or drug use.

---

**nacalai tesque**  
The quality for certainty.



**NACALAI TESQUE, INC.**

Nijo Karasuma, Nakagyo-ku, Kyoto 604-0855, JAPAN

TEL : +81-(0)75-251-1730

FAX : +81-(0)75-251-1763

Website : <http://www.nacalai.com>

E-mail : [info.intl@nacalai.com](mailto:info.intl@nacalai.com)